

Product datasheet

info@arigobio.com

ARG41002 anti-Hsp 60 antibody

Package: 100 μl Store at: -20°C

Summary

Product Description Rabbit Polyclonal antibody recognizes Hsp 60

Tested Reactivity Hu, Ms, Rat

Tested Application ICC/IF, IHC-P, IP, WB

Host Rabbit

Clonality Polyclonal

Isotype IgG

Target Name Hsp 60

Species Human

Immunogen Recombinant fusion protein corresponding to aa. 27-240 of Human Hsp 60 (NP_002147.2).

Conjugation Un-conjugated

Alternate Names Heat shock protein 60; HuCHA60; 60 kDa heat shock protein, mitochondrial; GROEL; P60 lymphocyte

protein; 60 kDa chaperonin; HSP-60; Mitochondrial matrix protein P1; HLD4; SPG13; HSP60; Chaperonin

60; Hsp60; CPN60; HSP65

Application Instructions

Application table	Application	Dilution
	ICC/IF	1:50 - 1:200
	IHC-P	1:50 - 1:200
	IP	1:50 - 1:200
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Positive Control	K562	
Observed Size	61 kDa	

Properties

Form Liquid

Purification Affinity purified.

Buffer PBS (pH 7.3), 0.02% Sodium azide and 50% Glycerol.

Preservative 0.02% Sodium azide

Stabilizer 50% Glycerol

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol HSPD1

Gene Full Name heat shock 60kDa protein 1 (chaperonin)

Background This gene encodes a member of the chaperonin family. The encoded mitochondrial protein may

function as a signaling molecule in the innate immune system. This protein is essential for the folding and assembly of newly imported proteins in the mitochondria. This gene is adjacent to a related family member and the region between the 2 genes functions as a bidirectional promoter. Several pseudogenes have been associated with this gene. Two transcript variants encoding the same protein

have been identified for this gene. Mutations associated with this gene cause autosomal recessive

spastic paraplegia 13. [provided by RefSeq, Jun 2010]

Function Implicated in mitochondrial protein import and macromolecular assembly. May facilitate the correct

folding of imported proteins. May also prevent misfolding and promote the refolding and proper assembly of unfolded polypeptides generated under stress conditions in the mitochondrial matrix.


[UniProt]

Research Area Controls and Markers antibody; Signaling Transduction antibody; Mitochondrial Marker antibody

Calculated Mw 61 kDa


Cellular Localization Mitochondrion matrix. [UniProt]

Images




ARG41002 anti-Hsp 60 antibody ICC/IF image

Immunofluorescence: HeLa cells stained with ARG41002 anti-Hsp 60 antibody.



ARG41002 anti-Hsp 60 antibody IHC-P image

 $Immun ohist ochemistry: Paraffin-embedded \ Rat\ kidney\ stained\ with ARG41002\ anti-Hsp\ 60\ antibody\ at\ 1:100\ dilution.$



ARG41002 anti-Hsp 60 antibody WB image

Western blot: 25 μg of K562 cell lysate stained with ARG41002 anti-Hsp 60 antibody at 1:1000 dilution.



ARG41002 anti-Hsp 60 antibody IP image

Immunoprecipitation: 200 μg extracts of HeLa cells were immunoprecipitated and stained with ARG41002 anti-Hsp 60 antibody at 1:1000 dilution.