

Product datasheet

info@arigobio.com

ARG43855 anti-Perforin antibody [dG9] (PE-Cyanine 7)

Package: 100 tests Store at: 4°C

Summary

Product Description PE-Cyanine 7-conjugated Mouse Monoclonal antibody human Perforin

Tested Reactivity Hu
Predict Reactivity Cow
Tested Application FACS

Host Mouse

Clonality Monoclonal

Clone dG9

Isotype IgG2b kappa
Target Name Perforin
Species Human

Immunogen Human YT lymphoma cell line

Conjugation PE-Cyanine 7

Alternate Names PRF1; Perforin 1; PFP; P1; HPLH2; Perforin 1 (Pore Forming Protein); Lymphocyte Pore-Forming Protein;

Perforin-1; Cytolysin; Perforin 1 (Preforming Protein); Perforin

Application Instructions

Application table	Application	Dilution
	FACS	4 μl / 10^6 cells
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form Liquid

Purification Protein-A affinity chromatography

Buffer PBS (pH 7.4) and 15 mM Sodium azide

Preservative 15 mM Sodium azide

Storage instruction Aliquot and store in the dark at 4°C. Keep protected from prolonged exposure to light. Do not freeze.

Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Bioinformation

Gene Symbol PRF1

Gene Full Name Perforin 1

Background This gene encodes a protein with structural similarities to complement component C9 that is important

in immunity. This protein forms membrane pores that allow the release of granzymes and subsequent cytolysis of target cells. Whether pore formation occurs in the plasma membrane of target cells or in an endosomal membrane inside target cells is subject to debate. Mutations in this gene are associated with a variety of human disease including diabetes, multiple sclerosis, lymphomas, autoimmune

lymphoproliferative syndrome (ALPS), aplastic anemia, and familial hemophagocytic

lymphohistiocytosis type 2 (FHL2), a rare and lethal autosomal recessive disorder of early childhood.

Function Pore-forming protein that plays a key role in granzyme-mediated programmed cell death, and in


defense against virus-infected or neoplastic cells.

Calculated Mw 61 kDa

PTM Disulfide bond, Glycoprotein

Cellular Localization Cell membrane, Endosome, Lysosome, Membrane, Secreted

Images



ARG43855 anti-Perforin antibody [dG9] (PE-Cyanine 7) FACS image

Flow Cytometry: Human whole blood stained with ARG43855 anti-Perforin antibody [dG9] (PE-Cyanine 7) at 4 μg .