

Product datasheet

info@arigobio.com

ARG81332 Human CD262 / TRAIL-R2 ELISA Kit

Package: 96 wells Store at: 4°C

Summary

Product Description ARG81332 Human CD262 / TRAIL-R2 ELISA Kit is an Enzyme Immunoassay kit for the quantification of

Human CD262 / TRAIL-R2 in serum, plasma and cell culture supernatant.

Tested Reactivity Hu

Tested Application ELISA

Specificity Specific for Human CD262 / TRAIL-R2. No cross reactivity was observed with TRAIL, CD117, IL-6R, IL-2R,

CD116, TRAIL R1, TRAIL R3, TRAIL R4, CD178 and Granzyme B.

Target Name CD262 / TRAIL R2

Conjugation HRP

Conjugation Note Substrate: TMB and read at 450 nm.

Sensitivity 6 pg/ml

Sample Type Serum, plasma and cell culture supernatants.

Standard Range 31.25 - 1000 pg/ml

Sample Volume $100 \ \mu l$

Alternate Names TRICK2A; TRICK2B; KILLER; TRAILR2; TNF-related apoptosis-inducing ligand receptor 2; DR5; CD antigen

CD262; TRICK2; CD262; KILLER/DR5; Tumor necrosis factor receptor superfamily member 10B; Death

receptor 5; TRAIL-R2; TRAIL receptor 2; TRICKB; ZTNFR9

Application Instructions

Assay Time ~ 2.5 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol TNFRSF10B

Gene Full Name tumor necrosis factor receptor superfamily, member 10b

Background The protein encoded by this gene is a member of the TNF-receptor superfamily, and contains an

intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces an apoptosis signal. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. Two transcript variants encoding different isoforms and one non-

www.arigobio.com argo.nuts about antibodies 1/2

coding transcript have been found for this gene. [provided by RefSeq, Mar 2009]

Function Receptor for the cytotoxic ligand TNFSF10/TRAIL. The adapter molecule FADD recruits caspase-8 to the


activated receptor. The resulting death-inducing signaling complex (DISC) performs caspase-8 proteolytic activation which initiates the subsequent cascade of caspases (aspartate-specific cysteine proteases) mediating apoptosis. Promotes the activation of NF-kappa-B. Essential for ER stress-induced

apoptosis. [UniProt]

Highlight Related products:

CD262 antibodies; CD262 ELISA Kits; New ELISA data calculation tool: Simplify the ELISA analysis by GainData

Images



ARG81332 Human CD262 / TRAIL-R2 ELISA Kit standard curve image

ARG81332 Human CD262 / TRAIL-R2 ELISA Kit results of a typical standard run with optical density reading at 450 nm.