

## ARG81804 Mouse CD134 / OX40 ELISA Kit

Package: 96 wells  
Store at: 4°C

### Component

Cat. No.	Component Name	Package	Temp
ARG81804-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81804-002	Standard	2 X 10 ng/vial	4°C
ARG81804-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81804-004	Antibody conjugate concentrate (100X)	1 vial (100 µl)	4°C
ARG81804-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81804-006	HRP-Streptavidin concentrate (100X)	1 vial (100 µl)	4°C
ARG81804-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81804-008	25X Wash buffer	20 ml	4°C
ARG81804-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81804-010	STOP solution	10 ml (Ready to use)	4°C
ARG81804-011	Plate sealer	4 strips	Room temperature

### Summary

Product Description	ARG81804 Mouse CD134 / OX40 ELISA Kit is an Enzyme Immunoassay kit for the quantification of Mouse CD134 / OX40 in serum, plasma (heparin, EDTA) and cell culture supernatants.
Tested Reactivity	Ms
Tested Application	ELISA
Specificity	There is no detectable cross-reactivity with other relevant proteins.
Target Name	CD134 / OX40
Conjugation	HRP
Conjugation Note	Substrate: TMB and read at 450 nm.
Sensitivity	15.6 pg/ml
Sample Type	Serum, plasma (heparin, EDTA) and cell culture supernatants.
Standard Range	31.2 - 2000 pg/ml
Sample Volume	100 µl

Precision	Intra-Assay CV: 5.5%; Inter-Assay CV: 5.7%
Alternate Names	CD134; TAX transcriptionally-activated glycoprotein 1 receptor; TXGP1L; OX40L receptor; Tumor necrosis factor receptor superfamily member 4; OX40; CD antigen CD134; IMD16; ACT35 antigen; ACT35

## Application Instructions

Assay Time	~ 5 hours
------------	-----------


## Properties

Form	96 well
Storage instruction	Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual for detail temperatures of the components.
Note	For laboratory research only, not for drug, diagnostic or other use.

## Bioinformation

Gene Symbol	TNFRSF4
Gene Full Name	tumor necrosis factor receptor superfamily, member 4
Background	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor has been shown to activate NF-kappaB through its interaction with adaptor proteins TRAF2 and TRAF5. Knockout studies in mice suggested that this receptor promotes the expression of apoptosis inhibitors BCL2 and BCL2L1/BCL2-XL, and thus suppresses apoptosis. The knockout studies also suggested the roles of this receptor in CD4+ T cell response, as well as in T cell-dependent B cell proliferation and differentiation. [provided by RefSeq, Jul 2008]
Function	Receptor for TNFSF4/OX40L/GP34. Is a costimulatory molecule implicated in long-term T-cell immunity. [UniProt]
Highlight	Related products: <a href="#">CD134 antibodies</a> ; <a href="#">CD134 ELISA Kits</a> ; New ELISA data calculation tool: <a href="#">Simplify the ELISA analysis by GainData</a>

## Images



ARG81804 Mouse CD134 / OX40 ELISA Kit standard curve image

ARG81804 Mouse CD134 / OX40 ELISA Kit results of a typical standard run with optical density reading at 450 nm.